

## Vascular Plant List for Hobcaw Barony and Adjacent Estuarine Habitats

Source: John M. Barry. 1966. A Survey of the Native Vascular Plants of the Baruch Plantation. B.S. Honor's Project. Univ. of South Carolina.

<u>Species</u>	<u>Common Name</u>	<u>Synonym Name</u>
<b>Pinaceae</b>		
<i>Pinus palustris</i>	longleaf pine	
<i>Pinus taeda</i>	loblolly pine	
<i>Pinus serotina</i>	pond pine, marsh pine, pocosin pine	
<b>Taxodiaceae</b>		
<i>Taxodium distichum</i>	bald or swamp cypress	
<i>Taxodium ascendens</i>	pond cypress	
<b>Cupressaceae</b>		
<i>Juniperus virginiana</i>	red cedar juniper, eastern red cedar	
<i>Juniperus virginiana</i> var. <i>silicicola</i>	coast juniper, southern red cedar, coastal red cedar	
<b>Typhaceae</b>		
<i>Typha angustifolia</i>	narrow-leaf cat-tail	
<i>Typha domingensis</i>	southern cat-tail	
<b>Alismataceae</b>		
<i>Sagittaria lancifolia</i>	bulltongue arrowhead	
<b>Poaceae</b>		
<i>Arundinaria gigantea</i>	giant cane	
<i>Arundo donax</i>	giant reed	
<i>Phragmites australis</i>	common reed	<i>Phragmites communis</i>
<i>Distichlis spicata</i>	saltgrass, marsh spikegrass, seashore saltgrass	
<i>Chasmanthium laxum</i>	slender woodoats, spike uniola	<i>Uniola laxa</i>
<i>Uniola paniculata</i>	seaoats	
<i>Poa annua</i>	annual blue grass, walk grass	
<i>Melica mutica</i>	onion grass, twoflower melic grass	
<i>Elymus virginicus</i>	Virginia wild rye	
<i>Sphenopholis obtusata</i>	prairie wedge grass, prairie wedgescale	
<i>Aristida Purpurascens</i> var. <i>virgata</i>	arrowfeather threeawn	<i>Aristida virgata</i>
<i>Sporobolus indicus</i> var. <i>indicus</i>	smutgrass	<i>Sporobolus poiretii</i>
<i>Sporobolus virginicus</i>	seashore dropseed	
<i>Cynodon dactylon</i>	Bermuda grass	
<i>Ctenium aromaticum</i>	toothache grass	
<i>Eustachys petraea</i>	pinewoods finger grass	<i>Chloris petraea</i>
<i>Setaria magna</i>	giant bristle grass	<i>Chaetochloa magna</i>
<i>Setaria parviflora</i>	knot root or marsh bristlegrass	<i>Setaria geniculata</i>
<i>Spartina alterniflora</i>	saltmarsh, Atlantic, or smooth cordgrass	
<i>Spartina cynosuroides</i>	big or giant cordgrass	
<i>Spartina patens</i>	saltmeadow or marsh hay cordgrass	
<i>Phalaris canariensis</i>	common or annual canary grass	
<i>Leersia lenticularis</i>	catchfly grass	<i>Homalocenchrus</i>
<i>lenticularis</i>		
<i>Zizaniopsis miliacea</i>	giant cutgrass	<i>Zizania miliacea</i>
<i>Cenchrus tribuloides</i>	sanddune sandbur, sandspur	
<i>Oplismenus hirtellus</i>	shortleaf or bristle basketgrass	<i>Oplismenus setarius</i>
<i>Paspalum notatum</i>	Bahia grass	
<i>Paspalum urvillei</i>	Vasey or Vasey's grass	
<i>Paspalum boscianum</i>	bull crown grass	
<i>Paspalum bifidum</i>	pitchfork crown grass	
<i>Paspalum setaceum</i>	fringeleaf, sand, or thin paspalum	
<i>Digitaria sanguinalis</i>	hairy, large, purple, or redhair crab grass	
<i>Digitaria filiformis</i>	slender crab grass	

Edited 1998 by John Baden, Army Corps of Engineers, Wilmington, NC, and Dick Stalter, Dept. Biol. Sciences, St. John's Univ.

Taxonomic verifications: Integrated Taxonomic Information System (<http://www.itis.gov>) by Ginger Ogburn-Matthews, BMFL. 2006.

## Appendix A. Vascular Plant List for Hobcaw Barony and Adjacent Estuarine Habitats

Source: John M. Barry. 1966. A Survey of the Native Vascular Plants of the Baruch Plantation. B.S. Honor's Project. Univ. of South Carolina.

Digitaria cognata var. cognata	fall witch grass or Carolina crabgrass	Leptoloma cognatum
Sacciolepis striata	American cupscale	
Panicum anceps	beaked panic grass or panic grass	
Panicum virgatum	switch grass, old switch panic grass	
Panicum dichotomiflorum	fall panicum or panic grass, western witch grass	
Panicum verrucosum	warty panic grass	
Panicum tenerum	bluejoint panic grass or panicum	
Dichanthelium strigosum var. leucoblepharis	roughhair rosette grass	Panicum ciliatum
Dichanthelium aciculare	needleleaf rosette grass	Panicum angustifolium
Dichanthelium dichotomum var. dichotomum	cypress panic grass	P. dichotomum, P.
lucidum, P. microcarpon		
Dichanthelium wrightianum	Wright's rosette grass	Panicum wrightianum
Dichanthelium acuminatum var. fasciculatum	tapered or western rosette grass, Huachuca panic	Panicum curtifolium
Panicum rigidulum var. pubescens	redtop panic grass	Panicum longifolium
Dichanthelium sphaerocarpon var. sphaerocarpon	roundseed panic grass or panicum	Panicum sphaerocarpon
Dichanthelium scoparium	velvet panicum	Panicum scoparium
Saccharum brevibarbe var. contortum	hentawn or sortbeard plume grass	Erianthus contortus
Andropogon ternarius	split beard bluestem	
Andropogon virginicus	broom sedge, broomsedge or yellow bluestem	
Andropogon glomeratus	bushy bluestem or broom sedge	
Sorghum halepense	Johnson grass	
<b>Cyperaceae</b>		
Cyperus filicinus	fern flatsedge	Cyperus nuttallii
Cyperus flavicomus	white-edge flatsedge	Cyperus albomarginatus
Cyperus distans	Piedmont flatsedge	
Cyperus esculentus	chufa, chufa flatsedge, yellow nutgrass, yellow nutsedge	
Cyperus compressus	poorland flatsedge	
Cyperus dentatus	toothed flatsedge	
Cyperus pseudovegetus	marsh flatsedge	
Eleocharis quadrangulata	squarestem spikerush or spikesedge	
Eleocharis tuberculosa	cone-cup spikerush	
Eleocharis microcarpa	smallfruit spikerush	
Rhynchospora colorata	starrush whitetop	Dichromena colorata
Rhynchospora nitens	shortbeak beaksedge	Psilocarya nitens
Bulbostylis capillaris	densetuft hairsedge, threadleaf beakseed	
Schoenoplectus americanus	American, chairmaker's, or Olney bulrush	Scirpus americanus
Scirpus robustus	saltmarsh robustus	
Scirpus polyphyllus	leafy bulrush	
Scirpus cyperinus	bulrush, woolgrass	
Scirpus divaricatus	spreading bulrush	
Scirpus pendulus, S. lineatus	drooping, hanging, pendulous, rufous bulrush	S. fontinalis
Fuirena pumila	dwarf umbrella sedge	
Rhynchospora tracyi	Tracy's beaksedge	
Rhynchospora corniculata	shortbristle horned beaksedge	
Rhynchospora fascicularis	fascicled beaksedge	
Rhynchospora rariflora	fewflower beaksedge	
Rhynchospora miliacea	millet beaksedge	
<b>Araceae</b>		
Orontium aquaticum	goldenclub	
Peltandra virginica	green arrow arum, Virginia peltandra	
Arisaema triphyllum	Jack-in-the-pulpit, Indian jack in the pulpit	
<b>Lemnaceae</b>		
Lemna perpusilla	minute duckweed	
Wolffiella gladiata	Florida mudmidget	W. floridana

Edited 1998 by John Baden, Army Corps of Engineers, Wilmington, NC, and Dick Stalter, Dept. Biol. Sciences, St. John's Univ.

Taxonomic verifications: Integrated Taxonomic Information System (<http://www.itis.gov>) by Ginger Ogburn-Matthews, BMFL. 2006.

## Appendix A. Vascular Plant List for Hobcaw Barony and Adjacent Estuarine Habitats

Source: John M. Barry. 1966. A Survey of the Native Vascular Plants of the Baruch Plantation. B.S. Honor's Project. Univ. of South Carolina.

### **Xyridaceae**

<i>Xyris torta</i>	common or slender yelloweyed grass	<i>X. flexuosa</i>
<i>Xyris smalliana</i>	Small's yelloweyed grass	
<i>Xyris ambigua</i>	coastal plain yelloweyed grass	
<i>Xyris difformis</i>	bog or southern yelloweyed grass	
<i>Xyris jupicai</i>	Richard's yelloweyed grass	
<i>Xyris caroliniana</i>	Carolina yelloweyed grass	

### **Eriocaulaceae**

<i>Eriocaulon decangulare</i>	tenangle pipewort	
<i>Eriocaulon compressum</i>	flattened pipewort	
<i>Lachnocaulon minus</i>	Small's bogbutton	
<i>Lachnocaulon anceps</i>	whitehead bogbutton	

### **Bromeliaceae**

<i>Tillandsia usneoides</i>	Spanish moss	
-----------------------------	--------------	--

### **Pontederiaceae**

<i>Pontederia cordata</i>	pickerelweed	
---------------------------	--------------	--

### **Juncaceae**

<i>Juncus effusus</i>	common, soft, or lamp rush	
<i>Juncus gymnocarpus</i>	Pennsylvania rush	
<i>Juncus roemerianus</i>	needle rush	
<i>Juncus repens</i>	lesser creeping rush	
<i>Juncus biflorus</i>	bog rush	
<i>Juncus abortivus</i>	annual rush	
<i>Juncus polycephalus</i>	flatleaf or manyhead rush	
<i>Juncus elliotii</i>	Elliott's rush	
<i>Juncus articulatus</i>	jointed rush, jointleaf rush	

### **Liliaceae**

<i>Asparagus officinalis</i>	asparagus, garden asparagus	
<i>Aletris farinosa</i>	white colicroot	
<i>Hymenocallis floridana</i>	Florida spiderlily	<i>H. crassifolia</i>

### **Smilacaceae**

<i>Smilax pseudochina</i>	bamboo vine	<i>S. tamnifolia</i>
<i>Smilax rotundifolia</i>	bullbriar, greenbrier, common catbriar	
<i>Smilax bona-nox</i>	saw greenbrier	
<i>Smilax glauca</i>	cat greenbrier, sawbrier	
<i>Smilax walteri</i>	coral greenbrier	

### **Agavaceae**

<i>Yucca aloifolia</i>	aloe yucca, Spanish bayonet	
<i>Yucca gloriosa</i>	mound-lily yucca	

### **Iridaceae**

<i>Iris virginica</i>	Virginia iris, southern blue flag	
-----------------------	-----------------------------------	--

### **Orchidaceae**

<i>Habenaria repens</i>	Water-spider bog orchid	
<i>Platanthera flava</i> var. <i>flava</i>	pale-green orchid	<i>Habenaria flava</i>
<i>Platanthera clavellata</i>	small green-wood orchid	<i>Habenaria clavellata</i>
<i>Platanthera cristata</i>	crested yellow orchid	<i>Habenaria cristata</i>

## Appendix A. Vascular Plant List for Hobcaw Barony and Adjacent Estuarine Habitats

Source: John M. Barry. 1966. A Survey of the Native Vascular Plants of the Baruch Plantation. B.S. Honor's Project. Univ. of South Carolina.

### Salicaceae

Salix nigra black willow  
Salix caroliniana coastal plain or swamp willow

### Myricaceae

Morella cerifera wax myrtle Myrica cerifera

### Betulaceae

Alnus serrulata alder, brook-side or hazel alder

### Fagaceae

Quercus virginiana live oak  
Quercus nigra water oak  
Quercus michauxii swamp chestnut oak  
Quercus margaretta sand post oak  
Quercus pagoda cherrybark or swamp Spanish oak Quercus falcata var. pagodifolia  
Quercus laevis turkey oak  
Quercus laurifolia laurel oak

### Ulmaceae

Ulmus americana American elm

### Urticaceae

Boehmeria cylindrica small spike false nettle

### Polygonaceae

Rumex acetosella sheep, field, or red sorrel  
Rumex hastatulus heartwing dock or sorrel  
Polygonum hydropiperoides swamp smartweed or water pepper  
Polygonum setaceum bog smartweed  
Polygonum sagittatum arrowleaf tearthumb or knotweed, arrowvine

### Chenopodiaceae

Chenopodium album lambsquarters, white goosefoot  
Atriplex cristata crested saltbush Atriplex arenaria  
Atriplex patula spear saltbush or saltweed  
Salicornia maritima slender glasswort Salicornia europaea  
Salicornia virginica Virginia glasswort  
Suaeda linearis annual seepweed, sea blite

### Amaranthaceae

Alternanthera philoxeroides Alligator or pig weed  
Amaranthus cannabinus tidalmarsh amaranth

### Caryophyllaceae

Stellaria media chickweed  
Cerastium glomeratum sticky chickweed Cerastium viscosum

### Nymphaeaceae

Nymphaea odorata American or white waterlilly

### Ranunculaceae

Ranunculus pusillus low spearwort, weak buttercup

### Magnoliaceae

Liriodendron tulipifera tulip tree or popular, yellow popular  
Magnolia virginiana sweetbay

## Appendix A. Vascular Plant List for Hobcaw Barony and Adjacent Estuarine Habitats

Source: John M. Barry. 1966. A Survey of the Native Vascular Plants of the Baruch Plantation. B.S. Honor's Project. Univ. of South Carolina.

Magnolia grandiflora	southern magnolia	
<b>Lauraceae</b>		
Persea borbonia	redbay	
Sassafras albidum	sassafras	
<b>Brassicaceae</b>		
Cardamine pensylvanica	Pennsylvania or Quaker bittercress	
<b>Grossulariaceae</b>		
Itea virginica	Virginia sweetspire	
<b>Hydrangeaceae</b>		
Decumaria barbara	woodvamp or climbing hydrangea	
<b>Hamamelidaceae</b>		
Liquidambar styraciflua	sweet gum	
<b>Rosaceae</b>		
Duchesnea indica	Indian strawberry	
Rubus argutus	sawtooth or prickly Florida blackberry	Rubus betulifolius
Rubus hispidus	bristly dewberry	
Rubus trivialis	southern dewberry	
Rosa palustris	swamp rose	
Photinia pyrifolia	red chokeberry	Sorbus arbutifolia
Prunus serotina	black cherry, black chokecherry	
Prunus caroliniana	Carolina laurel cherry	
<b>Fabaceae</b>		
Chamaecrista fasciculata var. fasciculata	sleeping plant	Cassia fasciculata
Chamaecrista nictitans var. nictitans	partridge pea	Cassia nictitans
Crotalaria purshii	Pursh's rattlebox	
Crotalaria rotundifolia	rabbitbells	Crotalaria angulata
Crotalaria spectabilis	showy crotalaria or rattlebox	
Desmodium nudiflorum	barestem tickclover, nakedflower ticktrefoil	
Desmodium canescens	hoary tickclover or ticktrefoil	
Glottidium vesicarium	bagpod	
Wisteria frutescens	American wisteria	
Strophostyles helvola	wild bean, fuzzy bean	
<b>Linaceae</b>		
Linum striatum	ridged yellow flax, rigid flax	
Linum virginianum	woodland flax	
<b>Polygalaceae</b>		
Polygala mariana	Maryland milkwort	
<b>Euphorbiaceae</b>		
Triadica sebiferum	chinese tallow-tree	Sapium sebifera
Chamaesyce polygonifolia	seaside sandmat or spurge	Euphorbia polygonifolia
Chamaesyce maculata	large spurge, spotted sandmat	Euphorbia maculata
<b>Anacardiaceae</b>		
Toxicodendron radicans	poison ivy, eastern poison ivy	Rhus radicans
Toxicodendron pubescens	poison oak, Atlantic poison oak	T. toxicodendron
Rhus copallina	dwarf or winged sumac	

## Appendix A. Vascular Plant List for Hobcaw Barony and Adjacent Estuarine Habitats

Source: John M. Barry. 1966. A Survey of the Native Vascular Plants of the Baruch Plantation. B.S. Honor's Project. Univ. of South Carolina.

### **Aquifoliaceae**

<i>Ilex vomitoria</i>	yaupon	
<i>Ilex glabra</i>	inkberry	
<i>Ilex opaca</i>	American holly	

### **Aceraceae**

<i>Acer rubrum</i>	red maple	
--------------------	-----------	--

### **Hippocastanaceae**

<i>Aesculus pavia</i>	red buckeye	
-----------------------	-------------	--

### **Vitaceae**

<i>Parthenocissus quinquefolia</i>	Virginia creeper, woodbine, fiveleaved ivy	
<i>Vitis rotundifolia</i>	muscadine, muscadine grape	
<i>Vitis aestivalis</i>	summer grape	
<i>Ampelopsis arborea</i>	peppervine	

### **Tiliaceae**

<i>Tilia americana</i> var. <i>caroliniana</i>	Carolina basswood	<i>Tilia caroliniana</i>
--	-------------------	--------------------------

### **Malvaceae**

<i>Hibiscus moscheutos</i>	crimson-eyed rosemallow, swamp rosemallow	
<i>Hibiscus laevis</i>	halberdleaf or scarlet rosemallow	<i>Hibiscus militaris</i>

### **Clusiaceae**

<i>Hypericum galioides</i>	bedstraw St. Johnswort	
<i>Hypericum cistifolium</i>	roundpod St. Johnswort	
<i>Hypericum setosum</i>	hairy St. Johnswort	
<i>Hypericum gymnanthum</i>	claspingleaf St. Johnswort	
<i>Hypericum mutilum</i>	dwarf St. Johnswort	
<i>Hypericum denticulatum</i>	coppery St. Johnswort	

### **Cistaceae**

<i>Helianthemum corymbosum</i>	pinebarren frostweed	
<i>Lechea maritima</i>	beach pinweed	

### **Violaceae**

<i>Viola</i> X <i>primulifolia</i>	primrose violet	
<i>Viola lanceolata</i>	lanceleaf violet, bog white violet	

### **Cactaceae**

<i>Opuntia ficus-indica</i>	prickly pear, Indian fig, tuna cactus	<i>Opuntia compressa</i>
<i>Opuntia pusilla</i>	cockspur pricklypear	<i>Opuntia drummondii</i>

### **Lythraceae**

<i>Decodon verticillatus</i>	swamp loosestrife	
<i>Cuphea carthagenensis</i>	Colombian waxweed	

### **Melastomataceae**

<i>Rhexia petiolata</i>	fringed meadowbeauty	
<i>Rhexia alifanus</i>	savannah meadowbeauty	
<i>Rhexia aristosa</i>	awnpetal meadowbeauty	
<i>Rhexia mariana</i>	Maryland meadowbeauty	

### **Onagraceae**

<i>Ludwigia leptocarpa</i>	anglestem primrose-willow	
<i>Ludwigia virgata</i>	savannah primrose-willow	

## Appendix A. Vascular Plant List for Hobcaw Barony and Adjacent Estuarine Habitats

Source: John M. Barry. 1966. A Survey of the Native Vascular Plants of the Baruch Plantation. B.S. Honor's Project. Univ. of South Carolina.

Ludwigia maritima	seaside primrose-willow	
Ludwigia microcarpa	smallfruit primrose-willow	
Ludwigia palustris	marsh primrose-willow	
Oenothera laciniata	cut-leaf evening-primrose	
Oenothera fruticosa	narrowleaf evening-primrose	
<b>Haloragaceae</b>		
Proserpinaca palustris	marsh mermaid-weed	
Proserpinaca pectinata	mermaid-weed	
Myriophyllum aquaticum	parrot feather watermilfoil	M. brasiliense
<b>Araliaceae</b>		
Aralia spinosa	devil's walkingstick	
<b>Apiaceae</b>		
Hydrocotyle umbellata	manyflower marsh pennywort, umbrella pennyroyal	
Hydrocotyle verticillata	whorled marsh pennywort, whorled pennyroyal	
Centella asiatica	spadeleaf	
Eryngium integrifolium	blueflower or simple leaf eryngo	
Sium suave	common or hemlock water-parsnip	
Lilaeopsis chinensis	eastern grasswort	
Ptilimnium capillaceum	herbwilliam, threadleaf mockbishopweed	
Ptilimnium macrospermum		
Oxypolis filiformis	water cowbane	
<b>Nyssaceae</b>		
Nyssa sylvatica	black gum or tupelo	
Nyssa biflora	swamp tupelo	
Nyssa aquatica	water tupelo	
<b>Cornaceae</b>		
Cornus foemina	stiff dogwood	Cornus stricta
Cornus florida	flowering dogwood	
<b>Clethraceae</b>		
Clethra alnifolia	coastal sweet pepperbush	
<b>Ericaceae</b>		
Zenobia pulverulenta	honeycup	
Lyonia ligustrina	maleberry, he-huckleberry	
Lyonia lucida	fetterbush lyonia	
Lyonia mariana	staggerbush	
Gaylussacia dumosa	dwarf huckleberry	
Vaccinium arboreum	tree sparkleberry, tree-huckleberry	
Vaccinium tenellum	small black blueberry	
Vaccinium corymbosum	blueberry, highbush blueberry	
Vaccinium crassifolium	creeping blueberry	
<b>Primulaceae</b>		
Samolus valerandi ssp. parviflorus	water pimpernel	Samolus parviflorus
<b>Plumbaginaceae</b>		
Limonium carolinianum	Carolina sealavender	Limonium nashii
<b>Symplocaceae</b>		
Symplocos tinctoria	sweetleaf	

## Appendix A. Vascular Plant List for Hobcaw Barony and Adjacent Estuarine Habitats

Source: John M. Barry. 1966. A Survey of the Native Vascular Plants of the Baruch Plantation. B.S. Honor's Project. Univ. of South Carolina.

### Oleaceae

Fraxinus americana American ash; white ash  
Osmanthus americana devilwood, wild olive

### Loganiaceae

Gelsemium sempervirens Carolina or yellow jessamine  
Mitreola petiolata lax hornpod, miterwort Cynoctonum mitreola

### Buddlejaceae

Polypremum procumbens juniper leaf

### Gentianaceae

Sabatia difformis lanceleaf rose gentian  
Sabatia stellaris rose of Plymouth, common marsh-pink  
Sabatia calycina coastal rose gentian  
Sabatia dodecandra marsh rose gentian

### Menyanthaceae

Nymphoides aquatica big floatingheart

### Asclepiadaceae

Asclepias perennis aquatic milkweed  
Asclepias lanceolata fewflower milkweed  
Cynanchum angustifolium Gulf coast swallowwart Cynanchum palustre

### Convolvulaceae

Ipomoea quamoclit cypressvine, cypressvine morning glory  
Ipomoea purpurea common morning glory  
Ipomoea sagittata saltmarsh morning glory

### Cuscutaceae

Cuscuta compacta compact dodder

### Verbenaceae

Verbena urticifolia white verbena or vervain  
Phyla nodiflora sawtooth fogfruit, turkey tangle fogfruit Lippia nodiflora  
Phyla lanceolata frog fruit, lanceleaf fogfruit Lippia lanceolata  
Callicarpa americana American beautyberry

### Lamiaceae

Teucrium canadense wood sage; germander  
Hyptis alata cluhered bushmint, bitter mint  
Scutellaria integrifolia helmet flower, skullcap  
Pycnanthemum muticum clustered mountainmint

### Solanaceae

Physalis walteri Walter's or sand groundcherry Physalis viscosa ssp. maritima  
Solanum carolinense horse nettle; bull nettle, sand briar

### Scrophulariaceae

Bacopa caroliniana blue waterhyssop  
Gratiola pilosa shaggy hedgehyssop, hairy gratiola  
Verbascum thapsus flannel plant; woolly mullein, velvet plant  
Nuttallanthus canadensis Canada or oldfield toadflax Linaria canadensis  
Veronica arvensis corn, rock, or wall speedwell  
Seymeria cassioides yaupon blacksenna  
Agalinis maritima saltmarsh false foxglove



## Appendix A. Vascular Plant List for Hobcaw Barony and Adjacent Estuarine Habitats

Source: John M. Barry. 1966. A Survey of the Native Vascular Plants of the Baruch Plantation. B.S. Honor's Project. Univ. of South Carolina.

### **Bignoniaceae**

<i>Bignonia capreolata</i>	cross vine	<i>Anisostichus capreolata</i>
<i>Campsis radicans</i>	trumpet vine, cow-itch, trumpet creeper	

### **Lentibulariaceae**

<i>Utricularia subulata</i>	zigzag or wiry bladderwort	
<i>Utricularia purpurea</i>	purple bladderwort	
<i>Utricularia gibba</i>	conespur bladderpod, humped bladderwort	<i>Utricularia biflora</i>

### **Acanthaceae**

<i>Justicia americana</i>	American waterwillow (occurrence questionable)	
<i>Justicia ovata</i>	looseflower waterwillow	

### **Plantaginaceae**

<i>Plantago lanceolata</i>	English or lanceleaf plantain, ribgrass	
<i>Plantago virginica</i>	Virginia plantain, paleseed Indianwheat	

### **Rubiaceae**

<i>Cephalanthus occidentalis</i>	common buttonbush	
<i>Diodia virginiana</i>	Virginia buttonweed	
<i>Diodia teres</i>	poorjoe, rough buttonweed	
<i>Mitchella repens</i>	partridgeberry	
<i>Galium pilosum</i>	hairy bedstraw	
<i>Galium obtusum</i>	bluntleaf or bristly bedstraw	

### **Caprifoliaceae**

<i>Lonicera japonica</i>	Japanese or Chinese honeysuckle	
--------------------------	---------------------------------	--

### **Campanulaceae**

<i>Lobelia elongata</i>	longleaf lobelia	
<i>Lobelia nuttallii</i>	Nuttall's lobelia	

### **Asteraceae**

<i>Ambrosia artemisiifolia</i>	ragweed	
<i>Lactuca graminifolia</i>	grassleaf or wild lettuce	
<i>Sonchus oleraceus</i>	common sow thistle	
<i>Hieracium gronovii</i>	Gronovis or leafy hawkweed, queendevil	
<i>Krigia virginica</i>	Virginia dwarf dandelion	
<i>Pyrhopappus carolinianus</i>	Carolina false dandelion, Carolina desert chicory	
<i>Taraxacum officinale</i>	common dandelion, blowball	
<i>Arnoglossum ovatum</i>	ovateleaf cacalia	<i>Cacalia lanceolata</i>
<i>Erechtites hieracifolia</i>	burnweed, fireweed	
<i>Cirsium horridulum</i> var. <i>horridulum</i>	yellow thistle	<i>Carduus spinosissimus</i>
<i>Cirsium repandum</i>	sandhill thistle	<i>Carduus repandus</i>
<i>Elephantopus tomentosus</i>	hairy elephantfoot, devil's grandmother	
<i>Eupatorium perfoliatum</i>	boneset	
<i>Eupatorium capillifolium</i>	dog fennel	
<i>Eupatorium rotundifolium</i>	roundleaf eupatorium or thoroughwort	
<i>Eupatorium album</i>	white thoroughwort	
<i>Mikania scandens</i>	climbing hempweed or hempvine	
<i>Pluchea rosea</i>	rosy camphorweed	
<i>Pluchea foetida</i>	stinkweed, stinking camphorweed	
<i>Pluchea camphorata</i>	camphorweed	
<i>Pseudognaphalium obtusifolium</i> spp. <i>obtusifolium</i>	rabbit tobacco	<i>Gnaphalium obtusifolium</i>
<i>Baccharis angustifolia</i>	saltwater false willow	
<i>Baccharis halimifolia</i>	eastern baccharis	

Edited 1998 by John Baden, Army Corps of Engineers, Wilmington, NC, and Dick Stalter, Dept. Biol. Sciences, St. John's Univ.

Taxonomic verifications: Integrated Taxonomic Information System (<http://www.itis.gov>) by Ginger Ogburn-Matthews, BMFL. 2006.

## Appendix A. Vascular Plant List for Hobcaw Barony and Adjacent Estuarine Habitats

Source: John M. Barry. 1966. A Survey of the Native Vascular Plants of the Baruch Plantation. B.S. Honor's Project. Univ. of South Carolina.

Erigeron quercifolius	oakleaf fleabane	
Boltonia caroliniana	Carolina doll's daisy	
Sericocarpus linifolius	narrowleaf whitetop aster	Aster bifolius
Symphotrichum tenuifolium	perennial saltmarsh aster	Aster tenuifolius
Solidago sempervirens	seaside goldenrod	
Euthamia tenuifolia var. tenuifolia	slender goldentop	Solidago microcephala
Borrchia frutescens	sea oxeye, bushy sea oxeye, bushy seaside tansy	
Coreopsis gladiata	coastal plain tickseed	
Marshallia graminifolia	grassleaf Barbara's buttons	
Artemisia ludoviciana	gray sagewort, prairie sage, white sagebrush	